according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: MOL Essence Diesel 5W-40 synthetic diesel engine oil

 Version: 5
 Latest revision: 05. 10. 2018
 Date of issue: 02. 04. 2013
 Page: 1/(12)

SECTION 1 Identification of the mixture/substance and of the company/undertaking

- 1.1 Product identifier: MOL Essence Diesel 5W-40 synthetic diesel engine oil
- 1.2 Relevant identified uses of the <u>mixture</u> or substance and uses advised against Relevant identified uses: synthetic diesel engine oil, for internal combustion engines. Uses advised against: no data
- 1.3 Details of the supplier of the safety data sheet: MOL-LUB Lubricant Production Distribution and Service Ltd. H-2931 Almásfüzitő, Fő út 21., Hungary Phone / Fax: +36 34 526 330 / +36 34 526 391 E-mail: kenoanyag@mol.hu

Request SDS of: MOL-LUB Lubricant Production Distribution and Service Ltd. Customer Service Center H-2931 Almásfüzitő, Fő út 21., Hungary Phone / Fax: +36 80 201 296 / +36 34 348 010

Responsible for SDS: MOL-LUB Ltd. Csaba Horváth, head of SD, HSE & Business Support Phone: +36 34 526 343; Mobile: +36 20 474 2644 e-mail: csahorvath@mol.hu

1.4 Emergency telephone number Emergency telephone (07-15²⁰ h): +36 34 526 210 (CET) on workdays Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárad tér 2.) Tel.: +36 80 201 199 (0-24 h, free number). National Health Toxicological Information Service:

SECTION 2 Hazards identification

2.1	1 Classification of the <u>mixture</u> or substance				
	Hazard Class and Category:	Hazard sta	tement:		
	Skin Sens. 1	H317	May cause an allergic skin reaction.		

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name:MOL Essence Diesel 5W-40 synthetic diesel engine oilVersion: 5Latest revision: 05. 10. 2018Date of issue: 02. 04. 2013Page: 2/(12)

2.2	Label elements			
	Product identification:	Trade name: MOL Essence Diesel 5W-40 synthetic diesel engine oil		
	Hazardous components:	C14-16-18 Alkyl phenol (EU: 931-468-2)		
	Signal word:	Warning		
	May cause an allergic skin reaction.			
	Supplemental hazard information: - Precautionary statements – General: -			
Precautionary statements – Prevention: P273 Avoid release to the environment.				
	Precautionary statements			
	P302 + P352 P333 + P313	IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.		
	Precautionary statements	– Storage: -		
	Precautionary statements P501	 Disposal: Dispose of contents/container in accordance with national regulation. 		
	Other liabilities for labell Tactile warning of dange Transport classification:	r: Not required.		
2.3	Other hazards The product does not cont (EC) 1907/2006.	tain any PBT or vPvB substance according to annex XIII of regulation		

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

MOL Essence Diesel 5W-40 synthetic diesel engine oil Trade name:

Version: 5 Latest revision: 05. 10. 2018 Date of issue: 02. 04. 2013

Composition/information on ingredients SECTION 3

3.2 Mixtures

Chemical description:

Mixture of refined mineral base oils and hydrotreated neutral oil containing additives.

Component(s) / Hazardous component(s):

Name	EU	CAS	Hazard classes and	Hazard	Conc.
	number	number	cat.	statements	%(m/m)
Base oil – unspecified,	276-738-4	72623-87-1	-	-	max. 80
hydrotreated neutral oil-			(Note L)		
based, C20-C50					
REACH Registr. Nr.:					
01-2119474889-13					
Base oil – unspecified,	265-157-1	64742-54-7	-	-	max. 40
hydrotreated heavy			(Note L)		
paraffinic, C20-C50*					
REACH Registr. Nr.:					
01-2119484627-25					
Base oil – unspecified,	265-157-1	64742-54-7	Asp. Tox. 1	H304	max. 40
hydrotreated heavy			(Note L)		
paraffinic, C20-C50*					
REACH Registr. Nr.:					
01-2119484627-25					
Lubricating oils	309-877-7	101316-72-7	-	-	max. 10
(petroleum), C24-C50*			(Note L)		
REACH Registr. Nr.:					
01-2119489969-06					
Mineral oil raffinate*		confidential	-	-	max. 5
			(Note L)		
C14-16-18 Alkyl phenol	931-468-2	-	Skin Sens. 1	H317	max. 1.2
REACH Registr. Nr.:			Aquatic Chronic 4	H413	
01-2119498288-19			-		
Bis(nonylphenyl)amine	253-249-4	36878-20-3	Aquatic Chronic 4	H413	max. 1.3
REACH Registr. Nr.:					
01-2119488911-28					
Zinc bis[O-(6-	298-577-9	93819-94-4	Skin Irrit. 2	H315	max. 0.9
methylheptyl)] bis[O-(sec-			Eye Dam. 1	H318	
butyl)] bis(dithiophosphate)			Aquatic Chronic 2	H411	
REACH Registr. Nr.:			-		
01-2119543726-33					

*: with exposure limit

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.



Page: 3/(12)

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

MOL-LUB Ltd.

Trade name:MOL Essence Diesel 5W-40 synthetic diesel engine oilVersion: 5Latest revision: 05. 10. 2018Date of issue: 02. 04. 2013Page: 4/(12)

SECTION 4 First aid measures

- 4.1 Description of first aid measures General information: Never give anything by mouth to an unconscious person, or never induce vomiting. Remove the affected person to fresh air. If rapid recovery does not occur, obtain Inhalation: medical attention. Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention. Flush eyes with plenty of water for 10-15 minutes. In case of persistent Eye contact: irritation, get medical attention. If swallowed, give water. Do not induce vomiting. Get medical attention. Ingestion: Protection of first-aid person: No individual specifications. Most important symptoms and effects, both acute and delayed 4.2 Sensitization. Indication of any immediate medical attention and special treatment need 4.3
 - Not required.

SECTION 5 Fire-fighting measures

- Fire hazards: Combustible.
- 5.1 Extinguishing media Suitable extinguishing media: Foam, carbon dioxide, dry chemical powder.

Unsuitable extinguishing media: Water jet.

5.2 Special hazards arising from the <u>mixture</u> or substance Hazardous combustion products: On burning, carbon dioxide, carbon monoxide, sulphur oxides, phosphor oxides, various hydrocarbons and soot can be formed.

5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Respiratory protection.

Further information:

Collect contaminated fire fighting water separately. It must not enter the sewage system. Contaminated extinguishing water must be disposed of in accordance with official regulations.

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: MOL Essence Diesel 5W-40 synthetic diesel engine oil

Version: 5 Latest revision: 05, 10, 2018 Date of issue: 02. 04. 2013

SECTION 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions: see Section 8.
- 6.2 Environmental precautions: Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.
- Methods and material for containment and cleaning up 6.3
 - All kind of ignition sources should be remove. Recover free liquid by On soil: pumping. Contain the rest or small quantities with sand, earth or other suitable absorbents. Dispose of according to local regulations.
 - Confine the spillage. Remove from surface by skimming or suitable On water: absorbents. Notify local authorities according to regulations.
- 6.4 Reference to other sections Personal precautions: see section 8. Waste treatment methods: see section 13.

SECTION 7 Handling and storage

Precautions for safe handling 7.1

Keep general measures applied for normal operations with lubricants and flammable liquids. Keep away from radiant heat and open flame.

Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists. Ensure washing facilities after working hours and before breaks. Take off contaminated or oil-soaked clothing, wash with warm water and soap.

When using do not eat, drink or smoke. Avoid splashing the product. Handling temperature: not known

- 7.2 Conditions for safe storage, including any incompatibilities Storage facilities must comply with regulations for storing of flammable liquids. Store in dry, well ventilated place in original, closed containers. Keep away from radiant heat, open flame and strong oxidizing agents. Storage temperature: max. 40°C
- 7.3 Specific end use(s)

Synthetic diesel engine oil, for internal combustion engines.

MOL-LUB Ltd.

Page: 5/(12)

MOL

Explosive properties:

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: MOL Essence Diesel 5W-40 synthetic diesel engine oil

Version: 5 Latest revision: 05. 10. 2018 Date of issue: 02. 04. 2013 Page: 6/(12)

	Engineering control measur Not required.	es:			
8.1	Control parameters:				
	Mineral oil mist:	TWA: 5 mg/m³ ; STEL: 10 mg/m ³ , for oil mist, vapour excluded (ACGIH).			
	Method of testing, recom				
8.2	 2 Exposure controls Personal protection: Respiratory protection: Hand protection: Eye protection: Skin protection: Other special: 2 Exposure controls Personal protection: Hand protection: Breathing apparatus not required. Oil resistant gloves (EN 374, Breakthrough time 480 min) (e. nitrile rubber – minimal thickness 0.33 mm). Note: Manufacturer's directions for use and the conditions application should be observed. Tightly fitting safety goggles (EN 166). Protective clothing (oil resistant). No data. 				
	Environmental exposure controls: Do not discharge into drains/surface waters/groundwater.				
	-				
SEC	Do not discharge into dra				
	Do not discharge into dra CTION 9 Physical and che Information on basic physic Appearance:	ains/surface waters/groundwater.			
	Do not discharge into dra CTION 9 Physical and che Information on basic physic Appearance: Physical state:	ains/surface waters/groundwater. emical properties eal and chemical properties liquid			
	Do not discharge into dra CTION 9 Physical and che Information on basic physic Appearance: Physical state: Colour:	ains/surface waters/groundwater. emical properties eal and chemical properties liquid bright, clear			
	Do not discharge into dra CTION 9 Physical and che Information on basic physic Appearance: Physical state: Colour: Odour:	ains/surface waters/groundwater. emical properties eal and chemical properties liquid			
	Do not discharge into dra CTION 9 Physical and che Information on basic physic Appearance: Physical state: Colour: Odour: Change in physical state:	ains/surface waters/groundwater. emical properties eal and chemical properties liquid bright, clear characteristic			
	Do not discharge into dra CTION 9 Physical and che Information on basic physic Appearance: Physical state: Colour: Odour: Change in physical state: Pour point (ISO 3016):	ains/surface waters/groundwater. emical properties eal and chemical properties liquid bright, clear			
	Do not discharge into dra CTION 9 Physical and che Information on basic physic Appearance: Physical state: Colour: Odour: Change in physical state:	ains/surface waters/groundwater. emical properties eal and chemical properties liquid bright, clear characteristic typ36°C			
	Do not discharge into dra CTION 9 Physical and che Information on basic physic Appearance: Physical state: Colour: Odour: Change in physical state: Pour point (ISO 3016): Boiling point:	ains/surface waters/groundwater. emical properties eal and chemical properties liquid bright, clear characteristic typ36°C not available			
SE(Do not discharge into dra CTION 9 Physical and che Information on basic physic Appearance: Physical state: Colour: Odour: Change in physical state: Pour point (ISO 3016): Boiling point: Others:	ains/surface waters/groundwater. emical properties val and chemical properties liquid bright, clear characteristic typ36°C not available SO 2592): typ. 240°C 592): not available			

not explosive

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: MOL Essence Diesel 5W-40 synthetic diesel engine oil

Version: 5 Latest revision: 05. 10. 2018 Date of issue: 02. 04. 2013 Page: 7/(12)

9.2	Oxidizing properties: Vapour pressure at 20°C: Density at 15°C (EN ISO 12185): Solubility in water: Solubility in other solvents: n-Octanol/water partition coefficient: Vapour density: Heating value: Kinematic viscosity at 40°C (EN ISO 3104): Kinematic viscosity at 100°C (EN ISO 3104): pH:			neg 0.8 pra gas not not inf.): typ 4): typ	oxidize digible 45 – 0.865 g/cm ³ ctically insoluble in water oline, kerosene, toluene, etc. available available 38 000 kJ/kg . 88.2 mm ² /s . 13.5-15.0 mm ² /s applicable	
SEC	TION 10 Stabi	lity and r	eactivi	ty		
10.2 10.3 10.4 10.5	 0.1 Reactivity: 0.2 Chemical stability: 0.3 Possibility of hazardous reactions: 0.4 Conditions to avoid: 0.5 Incompatible materials: 0.6 Hazardous decomposition products: 		Dangerous reactivity not known. No decomposition if stored and handled properly. Not known. Direct heat or ignition sources. Strong oxidizing agents. No dangerous decomposition products are formed under no conditions. Hazardous combustion products: See Section 5		and handled properly. ces. on products are formed under normal	
SEC	TION 11 Toxic	cological i	nforma	ation		
11.1	1.1 Information on toxicological Acute toxicity: Oral: LD ₅₀ (rat) Dermal: LD ₅₀ (rable Acute toxicity: irritation Skin:			ts > 2000 > 2000 ed on competed on comp		(based on components) (based on components)

Note: Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity.

Respiratory or skin sensitisation: sensitising (based on components)

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: MOL Essence Diesel 5W-40 synthetic diesel engine oil

Version: 5Latest revision: 05. 10. 2018Date of issue: 02. 04. 2013Pa

Other information, specific effects:

The product does not contain PCBs, PCTs, and other chlorine compounds, and heavy metals, barium compounds.

Note L: The classification as a carcinogen need not apply according to 1272/2008/EC, because it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity:

STOT-single exposure: STOT-repeated exposure: Aspiration hazard: not known, resp. not mutagen (based on components) not known, resp. not carcinogen (based on components) not known, resp. no reproduction-damaging effect (based on components) not classified not classified not classified

SECTION 12 Ecological information

12.1	Toxicity Aquatic organisms: Soil organisms: Plants:	No data for the product.
12.2	Persistence and degradability	No data available.
	Biodegradability:	No data available.
12.3	.	No data available.
12.4	Mobility	
	Mobility in soil	Absorbs in soil.
	Mobility in water:	Floats on water.
12.5	Results of PBT and vPvB	
	assessment	Does not contain PBT and vPvB substances.
12.6	Other adverse effects	
Heavy metal content: None.		None.
	PCT, PCB and other chlorinated	
	hydrocarbons:	None.
	Environmental effects:	Spills may form a film on water surfaces causing impaired oxygen transfer.
	Water hazard class (German):	WGK 1 (Classification by VwVwS)



Page: 8/(12)

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Page: 9/(12)

Trade name: MOL Essence Diesel 5W-40 synthetic diesel engine oil

Version: 5 Latest revision: 05. 10. 2018 Date of issue: 02. 04. 2013

SECTION 13 Disposal considerations

13.1 Waste treatment methods

Product disposal:

Wastes of the product or used oil should be treated as hazardous waste.

Waste Identification Code: 13 02 05*

Mineral-based non-chlorinated engine, gear and lubricating oils.

Waste Identification Code: 13 02 06*

Synthetic engine, gear and lubricating oils.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.

Transport information SECTION 14

	Land transport:						
	Road/ Railway	ADR/RID:	Not classified.				
14.1.	UN number:		-				
14.2.	2. UN proper shipping name: -						
14.3.	Transport hazard class(es):		-				
14.4.	Packing group:		-				
14.5.	5. Environmental hazards:						
14.6.	Special precautions for user: -						
	Waterways:						
	Inland waterways/ Sea transport	ADN/IMDG:	Not apply to the product.				
	Air transport: ICAO / IATA: Not apply to the product.						

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: MOL Essence Diesel 5W-40 synthetic diesel engine oil

Version: 5 Latest revision: 05, 10, 2018 Date of issue: 02. 04. 2013

SECTION 15 **Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the mixture. This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2015/830/EU) and to Regulation (EC) 1272/2008.
- 15.2 Chemical safety assessment. not available

SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

Source of data presented in this material safety data sheet: Test results of this product Material safety data sheets of product's components 1272/2008/EC regulation, Annex XVII. of REACH Relevant Hungarian and EU regulations

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP)

calculation method	H317	Skin Sens. 1
17 calculation method	H317	Skin Sens. 1

The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:

H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. May cause an allergic skin reaction H317 Causes serious eye damage. H318 Toxic to aquatic life with long lasting effects. H411 H413 May cause long lasting harmful effects to aquatic life.



Page: 10/(12)

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC



Trade name: MOL Essence Diesel 5W-40 synthetic diesel engine oil

 Version: 5
 Latest revision: 05. 10. 2018
 Date of issue: 02. 04. 2013
 Page: 11/(12)

Asp.Tox.1 Skin Irrit. 2 Skin Sens. 1. Eye Dam. 1 Aquatic Chronic 2 Aquatic Chronic	Aspiration hazard Category 1 Skin corrosion/irritation Category 2 Skin Sensitisation, Hazard Category 1 Serious eye damage/eye irritation Category 1 Hazardous to the aquatic environment, Chronic Category 2 Hazardous to the aquatic environment — Chronic Hazard, Category 4			
-				
Legend:				
	uropean Agreement concerning the International Carriage of Dangerous Goods by Inland			
	Waterways European Agreement concerning the International Carriage of Dangerous Goods by Road			
	Acute Toxicity Estimate			
	Bioconcentration factor			
	Biological Oxygen Demand			
	Bological Oxygen Demand Body Weight			
	Classification and Labelling			
	Chemical Abstracts Service Classification, Labelling and Packaging (1272/2008/EC)			
	Carcinogenic, Mutagenic or Toxic for Reproduction			
	emical Oxygen Demand			
	hemical Safety Assessment			
	emical Safety Report			
	rived Minimal Effect Level			
	erived No Effect Level			
	European Chemicals Agency			
	Effective Concentration x%			
	EC50 in terms of reduction of growth rate			
	Effective Dose x%			
	European Community			
	European Community number European List of Notified Chemical Substances			
	European List of Notified Chemical Substances Exposure Scenario			
	1			
	European Chemical Substances Information System			
	International Agency for Research on Cancer			
	International Air Transport Association			
	International Maritime Dangerous Goods Lethal Concentration x%			
	Lethal Concentration x% Lethal Dose x%			
	Lowest Observed Adverse Effect Concentration			
	Lowest Observed Adverse Effect Level			
	Lowest Observed Effect Concentration			
	Lowest Observed Effect Level			
	owest Observed Effect Level			
	o observed effect level			

according to regulation 1907/2006/EC (REACH) and 1272/2008/EC

Trade name: MOL Essence Diesel 5W-40 synthetic diesel engine oil

Version: 5

Latest revision: 05. 10. 2018 Date of issue: 02. 04. 2013

NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail
SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

Revision Indicators:

Section	Subject of change	Date	Version
1	Relevant identified uses	05.08.2013	2
7	Specific end use(s)		
1	Details of the supplier of the safety data sheet, Responsible for SDS	18.06.2015	3
2	Other hazards		
3	Composition/information on ingredients		
5	Fire hazards		
9	Physical and chemical properties		
12	Ecological information		
14	Transport information		
1-16	Other corrections		
2	Hazards identification	17. 10. 2016	4
3	Composition/information on ingredients		
4	First aid measures		
9	Physical and chemical properties		
11	Toxicological information		
1-16	Other corrections, revision modification according to 2015/830 /EU		
2	Hazards identification	05.10.2018	5
3	Composition/information on ingredients		
9	Physical and chemical properties		
11	Toxicological information		
1-16	Other corrections		

