

SECTION 2 Hazards identification

2.1	Classification of the mixture or su	Ibstance	
	Hazard Class and Category:	Hazard state	ement:
	Aquatic Chronic 3	H412	Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC MOL-LUB Ltd. Trade name: MOL Hykomol K 85W-140 automotive gear oil Version: 5 Latest revision: 27. 09. 2018 Date of issue: 20. 06. 2007 Page: 2/(13) 2.2 Label elements

	Product identification:	Trade name: MOL Hykomol K 85W-140 automotive gear oil
	Hazardous component(s):	: -
	GHS Pictogram: Signal word:	Not required. Not required.
	Hazard statement: H412	Harmful to aquatic life with long lasting effects.
	Supplemental hazard info EUH208	rmation: Contains long-chain alkyl amine. May produce an allergic reaction.
	Precautionary statements	– General: -
	Precautionary statements P273	 Prevention: Avoid release to the environment.
	Precautionary statements	– Response: -
	Precautionary statements	– Storage: -
	Precautionary statements P501	 Disposal: Dispose of contents/container in accordance with national regulation.
	Other liabilities for labell Tactile warning of danger Transport classification: s	: Not required.
2.3	Other hazards The product does not cont (EC) 1907/2006.	ain any PBT or vPvB substance according to annex XIII of regulation

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: MOL Hykomol K 85W-140 automotive gear oil

Version: 5 Latest revision: 27. 09. 2018 Date of issue: 20. 06. 2007

SECTION 3 Composition/information on ingredients

3.2 Mixtures

Chemical description: Mixture of refined mineral base oils containing additives.

Component(s) / Hazardous component(s):

Nama	EU	CAS	Hazard classes and	Hazard	Conc.
Name	number	number	cat.	statements	%(m/m)
Lubricating oils	309-874-0	101316-69-2	-	-	max. 80
(petroleum), C>25*			(Note L)		
REACH Registr. Nr.:					
01-2119486948-13					
Lubricating oils	309-877-7	101316-72-7	Asp.Tox.1	H304	max. 25
(petroleum), C24- C50*			(Note L)		
REACH Registr.Nr.:					
01-2119489969-06					
Mineral oil raffinate*		confidential	-	-	max. 5
			(Note L)		
Long-chain alkyl amine	273-279-1	68955-53-3	Acute Tox. 4	H302	max. 0.2
REACH Registr. Nr.:			Acute Tox. 3	H311	
01-2119456798-18			Skin Corr. 1B	H314	
			Skin Sens. 1	H317	
			Eye Dam. 1	H318	
			Acute Tox. 2	H330	
			STOT SE 3	H335	
			Aquatic Acute 1	H400 (M=1)	
			Aquatic Chronic 1	H410 (M=1)	
Long-chain alkenyl	204-015-5	112-90-3	Acute Tox. 4	H302	max. 0.2
amine			Asp. Tox. 1	H304	
REACH Registr. Nr.:			Skin Corr. 1A	H314	
no data			Eye Dam. 1	H318	
			STOT SE 3	H335	
			STOT RE 2	H373	
			Aquatic Acute 1	H400 (M=10)	
			Aquatic Chronic 1	H410 (M=10)	

*: with exposure limit

The full text of each relevant H- phrase and Hazard classes and cat. see in Section 16.



Page: 3/(13)

MOL-LUB Ltd.

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: MOL Hykomol K 85W-140 automotive gear oil

Version: 5 Latest revision: 27. 09. 2018 Date of issue: 20. 06. 2007

Page: 4/(13)

SECTION 4 First aid measures

4.1 Description of first aid measures General information: Never give anything by mouth to an unconscious person, or never induce vomiting. Remove the affected person to fresh air. If rapid recovery does not occur, obtain Inhalation: medical attention. Skin contact: Remove contaminated clothing. Wash skin with large amounts of water, use soap. In case of persistent irritation, get medical attention. Flush eyes with plenty of water for 10-15 minutes. In case of persistent Eye contact: irritation, get medical attention. If swallowed, give water. Do not induce vomiting. Get medical attention. Ingestion: Protection of first-aid person: No data available. Most important symptoms and effects, both acute and delayed 4.2 Prolonged and/or repeated contact may cause irritation on skin or in eyes depending on individual sensitivity.

May produce an allergic reaction.

4.3 Indication of any immediate medical attention and special treatment need Not required.

SECTION 5 Fire-fighting measures

Fire hazards: Combustible.

5.1 Extinguishing mediaSuitable extinguishing media: Foam, carbon dioxide, dry chemical powder.

> Unsuitable extinguishing media: Water jet.

 5.2 Special hazards arising from the <u>mixture</u> or substance Hazardous combustion products: On burning, carbon dioxide, carbon monoxide, various hydrocarbons and soot can be formed.

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: MOL Hykomol K 85W-140 automotive gear oil

Version: 5 Latest revision: 27. 09. 2018 Date of issue: 20. 06. 2007

Page: 5/(13)

5.3 Advice for fire-fighters

Special protective equipment:

According to the existing fire-fighting regulations. Respiratory protection.

Further information:

Collect contaminated fire fighting water separately. It must not enter the sewage system. Contaminated extinguishing water must be disposed of in accordance with official regulations.

SECTION 6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions: see Section 8.
- 6.2 Environmental precautions: Confine spills to prevent material from entering sewers, watercourses, drains and into soil Notify relevant authority.
- 6.3 Methods and material for containment and cleaning up
 - On soil: All kind of ignition sources should be remove. Recover free liquid by pumping. Contain the rest or small quantities with sand, earth or other suitable absorbents. Dispose of according to local regulations.
 - On water: Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations.
- 6.4 Reference to other sections Personal precautions: see section 8. Waste treatment methods: see section 13.

SECTION 7 Handling and storage

7.1 Precautions for safe handling
 Keep general measures applied for normal operations with lubricants and flammable liquids.
 Keep away from radiant heat and open flame.
 Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.

Ensure washing facilities after working hours and before breaks. Take off contaminated or oil-soaked clothing, wash with warm water and soap.

When using do not eat, drink or smoke. Avoid splashing the product.

Handling temperature: not known



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: MOL Hykomol K 85W-140 automotive gear oil

Version: 5 Latest revision: 27. 09. 2018 Date of issue: 20. 06. 2007 Page: 6/(13)

7.2 Conditions for safe storage, including any incompatibilities Storage facilities must comply with regulations for storing of flammable liquids. Store in dry, well ventilated place in original, closed containers. Keep away from radiant heat, open flame and strong oxidizing agents. Storage temperature: max. 40°C 7.3 Specific end use(s)

Automotive gear oil.

SECTION 8 Exposure controls / personal protection

Engineering control measures: Not required.

- 8.1 Control parameters:
 - Mineral oil mist:

TWA: 5 mg/m³; STEL: 10 mg/m³, for oil mist, vapour

Method of testing, recommended: NIOSH 5026

8.2 **Exposure** controls

Pe	rsonal protection:	
	Respiratory protection:	Breathing apparatus not required.
	Hand protection:	Oil resistant gloves (EN 374, Breakthrough time 480 min) (e.g.
		nitrile rubber – minimal thickness 0.33 mm).
		Note: Manufacturer's directions for use and the conditions of
		application should be observed.
	Eye protection:	Tightly fitting safety goggles.
	Skin protection:	Protective clothing (oil resistant).
	Other special:	No data.

Environmental exposure controls: Do not discharge into drains/surface waters/groundwater.

SECTION 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties Appearance: Physical state: liquid Colour: brown, clear Odour: characteristic



excluded (ACGIH).

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: MOL Hykomol K 85W-140 automotive gear oil

Version: 5 Latest revision: 27. 09. 2018 Date of issue: 20. 06. 2007

	Change in physical state:	
	Pour point (ISO 3016):	typ15°C
	Boiling point:	not available
	Others:	
	Flash point (COC) (EN ISO 2592):	typ. 230°C
	Ignition point (EN ISO 2592):	not available
	Autoignition temperature:	not available
	Explosive properties:	not explosive
	Oxidizing properties:	not oxidize
	Vapour pressure at 20°C:	negligible
	Density at 15°C (EN ISO 12185):	$0.900 - 0.920 \text{ g/cm}^3$
	Solubility in water:	practically insoluble in water
	Solubility in other solvents:	gasoline, kerosene, toluene, etc.
	n-Octanol/water partition coefficient:	not available
	Vapour density:	not available
	Heating value:	inf. 38 000 kJ/kg
	Kinematic viscosity at 40°C (EN ISO 3104):	typ. 423 mm ² /s
	Kinematic viscosity at 100°C (EN ISO 3104):	typ. 27.8 mm ² /s
	pH:	not applicable
.2	Other information	

9.2 Other information no data available

SECTION 10 Stability and reactivity

10.1 Reactivity:	Dangerous reactivity not known.
10.2 Chemical stability:	No decomposition if stored and handled properly.
10.3 Possibility of hazardous	
reactions:	Not known.
10.4 Conditions to avoid:	Direct heat or ignition sources.
10.5 Incompatible materials:	Strong oxidizing agents.
10.6 Hazardous decomposition	No dangerous decomposition products are formed under normal
products:	conditions. Hazardous combustion products: See Section 5.
SECTION 11 Toxicological i	information

11.1	Information on to Acute toxicity:	oxicological effect	S		
	Oral:	LD ₅₀ (rat)	> 2000	mg/kg	(based on components)
	Dermal:	LD ₅₀ (rabbit)	> 2000	mg/kg	(based on components)



Page: 7/(13)



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: MOL Hykomol K 85W-140 automotive gear oil

Version: 5 Latest revision: 27. 09. 2018 Date of issue: 20. 06. 2007 Page: 8/(13)

	Eye: no Note: Pro	t irritant (base t irritant (base olonged and/c	ed on components) ed on components) or repeated contact may cause irritation on skin or in eyes
			dividual sensitivity.
	Respiratory or skin se	ensitisation:	not sensitising (based on components), but may produce an allergic reaction
	Other information, sp	ecific effects:	
	The product does metals, barium con		PCBs, PCTs, and other chlorine compounds, and heavy
		shown that	a carcinogen need not apply according to 1272/2008/EC, the substance contains less than 3 % DMSO extract as
	Germ cell mutager	nicity:	not known, resp. not mutagen (based on components)
	Carcinogenicity: Reproductive toxic	city:	not known, resp. not carcinogen (based on components) not known, resp. no reproduction-damaging effect (based on components)
	STOT-single expo	osure:	not classified
	STOT-repeated ex	-	not classified
	Aspiration hazard:		not classified
SEC	TION 12 Ecological	information	
12.1	Toxicity Aquatic organisms Soil organisms: Plants:		for the product.
12.2	Persistence and degra	adability	No data available.
1	•	-	No data available.
	Biodegradability:		No data avallable.

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: MOL Hykomol K 85W-140 automotive gear oil

Version: 5 Latest revision: 27. 09. 2018 Date of issue: 20. 06. 2007

12.4	Mobility	
	Mobility in soil	Absorbs in soil.
	Mobility in water:	Floats on water.
12.5	Results of PBT and vPvB	
	assessment	Does not contain PBT and vPvB substances.
12.6	Other adverse effects	
	Heavy metal content:	None.
	PCT, PCB and other chlorinated	
	hydrocarbons:	None.
	Environmental effects:	Harmful to aquatic life with long lasting effects.
	Water hazard class (German):	WGK 2 (Classification by VwVwS)

SECTION 13 Disposal considerations

- 13.1 Waste treatment methods
 - Product disposal:
 - Wastes of the product or used oil should be treated as hazardous waste.
 - Waste Identification Code: 13 02 05*

Mineral-based non-chlorinated engine, gear and lubricating oils.

Disposal must be in compliance with national and local regulations.

Recommended waste treatment method: incineration

Packaging disposal:

Containers with product residue should also be treated as hazardous waste according to national and local disposal regulations.

Waste Identification Code: 15 01 10*

Packaging containing residues of or contaminated by dangerous substances.

Disposal must be in compliance with national and local regulations.

Wastewater:

Quality of wastewater emitted to natural water must comply with national and local regulations.

Care should be taken in any case to ensure compliance with EC, national and local regulations. It is the responsibility of the user to know all relevant national and local regulations.





according to regulation (EC) No 1907/2006 (RE	ACH) and 1272/2008/EC	MOL-I	LUB Ltd.
Trade name: MOL Hykomol K 8	5W-140 automotiv	ve gear oil	
Version: 5 Latest revision: 27. 09. 2	Date of issue:	20. 06. 2007	Page: 10/(13)
SECTION 14 Transport information	on		
Land transport:			
Road/ Railway	ADR/RID:	Not classifie	ed.
14.1. UN number:	-		
14.2. UN proper shipping name:14.3. Transport hazard class(es):	-		
14.4. Packing group:	-		
	-		
14.5. Environmental hazards:			
14.5. Environmental hazards:14.6. Special precautions for user:	-		
	-		
14.6. Special precautions for user:	- ADN/IMDG:	Not apply to	the product.

SECTION 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the mixture. This safety data sheet has been prepared according to Regulation (EC) No 1907/2006 (mod.: 2015/830/EU) and to Regulation (EC) 1272/2008.
- 15.2 Chemical safety assessment. not available

SECTION 16 Other information

The information given in this data sheet is based on our best knowledge at the time of publication. The information is related only to this product and is intended to assist its safe transport, handling and use. The given physical and chemical parameters describe the product only for the purpose of safety requirements and therefore should not be construed as guaranteeing any specific property of the product or as being part of a product specification or any contract.

The manufacturer or supplier shall not take responsibility for any damages from the use other than recommended or other misuse of the product. It is the responsibility of the user to keep regulatory precautions and observe recommendations for safe use of the product.

MOL-LUB Ltd.

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: MOL Hykomol K 85W-140 automotive gear oil

Version: 5 Latest revision: 27. 09. 2018 Date of issue: 20. 06. 2007

Page: 11/(13)

Source of data presented in this material safety data sheet: Test results of this product Material safety data sheets of product's components 1272/2008/EC regulation, Annex XVII. of REACH Relevant Hungarian and EU regulations

Classification for mixtures and used evaluation method according to regulation 1272/2008/EC (CLP) Not classified. -

The full text of each relevant H- phrase and Hazard classes and cat. in Section 3.:

11000	
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Acute Tox. 4	Acute toxicity Category 4
Asp.Tox.1	Aspiration hazard Category 1.
Acute Tox. 3	Acute toxicity Category 3
Skin Corr. 1A, 1B	Skin corrosion/irritation Category 1A, 1B
Skin Sens. 1	Respiratory/skin sensitization Category 1
Eye Dam. 1	Serious eye damage/eye irritation Category1
Acute Tox. 2	Acute toxicity Category 2
STOT SE 3	Specific target organ toxicity — single exposure Category 3
STOT RE 2	Specific target organ toxicity – repeated exposure Category 2
Aquatic Acute 1	Hazardous to the aquatic environment, Acute Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, Chronic Category 1



according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: MOL Hykomol K 85W-140 automotive gear oil

Version: 5

Latest revision: 27. 09. 2018 Date of issue: 20. 06. 2007

Page: 12/(13)

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland
	Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Biocontrentration Factor
BOD	Biological Oxygen Demand
Bw	Body Weight
C&L	Classification and Labeling
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging (1272/2008/EC)
CMR	Carcigonic, Mutagenic or toxic to Reproduction
COD	Chamical Oxygen Demand
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
ECHA	European Cheamicals Agency
Ecx	Effective Concentration x%
ErC50	EC50 in terms of reduction of growth rate
Edx	Effective Dose x%
EC	European Community
EC number	European Community number
ELINCS	European List of Notified Chemical Substances
ES	Exposure Scenario
ESIS	European Chemical Substances Information System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LCx	Lethal Concentration x%
LDx	Lethal Dose x%
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No observed effect concentration
NOEL	No observed effect level
NLP	No-Longer Polymer
NOAEL	No Observed Adverse Effect Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	parts/million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International carriage of Dangerous Goods by Rail

according to regulation (EC) No 1907/2006 (REACH) and 1272/2008/EC

Trade name: MOL Hykomol K 85W-140 automotive gear oil

Version: 5

Latest revision: 27. 09. 2018

Date of issue: 20. 06. 2007

Page: 13/(13)

SVHC	Substance of Very High Concern
UVCB	substance of unknown or variable composition, complex reaction products or biological
	materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bio-accumulative

Revision Indicators:

Section	Subject of change	Date	Version
3	Composition / information on ingredients	30.11.2010	2
1-16	Regulatory information, other corrections		
2	Hazards identification	22.11.2012	3
3	Composition/information on ingredients		
9	Physical and chemical properties		
12	Ecological information		
1-16	Revision modification according to 1272/2008/EC and		
	453/2010/EC		
1	Details of the supplier of the safety data sheet, Responsible	07. 12. 2015	4
	for SDS		
2	Other hazards		
3	Composition/information on ingredients		
5	Fire hazards		
9	Physical and chemical properties		
14	Transport information		
1-16	Other corrections, revision modification according to		
	2015/830 /EC		
2	Hazards identification	27.09.2018	5
3	Composition/information on ingredients		
12	Ecological information		
1-16	Other corrections		

